

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (currently amended): A method of forming a display of a packaging case, the method ~~comprising the steps of:~~

irradiating a laser beam on a front face of a packaging case produced by a paper sheet having a colored layer constituted by a coloring agent and a resin film layer for protecting the front face on the front face; and

evaporating the colored layer and the resin film layer by the laser beam, thereby forming the display on said packaging case, ~~and~~

~~a packaging case in which a display is formed by the display forming method.~~

2. (currently amended): A method of forming a display of a packaging case ~~and a packaging case in which a display is formed by the display forming method~~ as claimed in claim 1, wherein a carbon dioxide gas laser beam is employed as the laser beam.

3. (currently amended): A method of forming a display of a packaging case ~~and a packaging case in which a display is formed by the display forming method~~ as claimed in claim 1, wherein the colored layer is formed by a UV coating material.

4. (currently amended): A method of forming a display of a packaging case ~~and a packaging case in which a display is formed by the display forming method~~ as claimed in claim 2, wherein the colored layer is formed by a UV coating material.

5. (currently amended): A method of forming a display of a packaging case ~~and a packaging case in which a display is formed by the display forming method~~ as claimed in claim 1, wherein the protecting film layer is formed as an outermost layer, and a paper sheet having a colored layer is employed between the protecting film layer and the paper (the base material).

6. (currently amended): A method of forming a display of a packaging case ~~and a packaging case in which a display is formed by the display forming method~~ as claimed in claim 1, wherein the colored layer is formed as an outermost layer, and a paper sheet having a protecting film layer is employed between the colored layer and the paper (the base material).

7. (currently amended): A method of forming a display of a packaging case ~~and a packaging case in which a display is formed by the display forming method~~ as claimed in claim 1, wherein the protecting film layer is formed as an outermost layer, a paper sheet having a colored layer is employed between the protecting film layer and a base layer ~~the paper (the base material)~~, and a display is formed on said protecting film layer by a UV coating material.

8. (currently amended): A method of forming a display of a packaging case ~~and a packaging case in which a display is formed by the display forming method~~ as claimed in claim

1, wherein the packaging case is a packaging case for a golf ball, a packaging case for a golf glove, and a packaging case for shoes.

9. - 15. (canceled).

16. (new): The method according to claim 7, wherein the base layer is a paper layer.

17. (new): The method according to claim 1, wherein the irradiated laser beam evaporates a total thickness of a portion of the resin film layer and a total thickness of a portion of the colored layer adjacent to the portion of the resin film layer to form the display.

18. (new): A method of forming a display of a packaging case, the method comprising:
irradiating a laser beam on a front face of a packaging case produced by a paper sheet having a colored layer constituted by a coloring agent and a resin film layer for protecting the front face on the front face; and

evaporating the colored layer and the resin film layer by the laser beam, thereby forming the display on said packaging case,

wherein the resin layer is at least one of a polyester resin layer or a polypropylene resin layer.

19. (new): A method of forming a display of a packaging case as claimed in claim 18, wherein the colored layer is formed by a UV coating material.

20. (new): A method of forming a display of a packaging case as claimed in claim 18, wherein the protecting film layer is formed as an outermost layer, and a paper sheet having a colored layer is employed between the protecting film layer and the paper sheet.

21. (new): A method of forming a display of a packaging case as claimed in claim 18, wherein the colored layer is formed as an outermost layer, and a paper sheet having a protecting film layer is employed between the colored layer and the paper sheet.

22. (new): A method of forming a display of a packaging case as claimed in claim 18, wherein the protecting film layer is formed as an outermost layer, a paper sheet having a colored layer is employed between the protecting film layer and a base layer, and a display is formed on said protecting film layer by a UV coating material.

23. (new): A method of forming a display of a packaging case as claimed in claim 18, wherein the packaging case is a packaging case for a golf ball, a packaging case for a golf glove, and a packaging case for shoes.